thermo scientific



Medical Device



Thermo Scientific™ Forma™ FDE Series Ultra-Low Temperature Freezers

- H-drive hydrocarbon refrigeration system provides sustainable performance with reliability you can count on
- Low peak variation helps ensure sample temperature protection throughout entire cabinet
- Fast door opening recovery in as little as 14 minutes
- Long warm-up time from -80°C to -50°C in up to 5 hours
- Four capacities: 300, 400, 500 and 600 2-inch boxes
- Decrease storage footprint up to 25%
- 5-year standard warranty



Designed to keep your samples safe

- Worry-free storage; with low peak variation, samples are protected throughout the entire cabinet.
- Secure freezer settings with sample security
- FDA Class II Medical Device for Storage of Blood, Plasma, Tissue, Skin, and Bone³
- Backed by our Global Service and Support Team

Limit environmental impact and lower HVAC costs

- Uses as low as 11.2 kWh/day, depending on size
- Less heat emission lowers HVAC costs
- Natural refrigerants compliant with EU F-Gas regulation: R170 and R290
- Environmentally-friendly, waterblown foam insulation
- Manufactured in an award-winning, zero-waste-to-landfill facility

User-friendly and quiet

- New HIC touch screen user interface
- Quiet enough to reside directly in the laboratory; at just 50 dBA, the sound is comparable to a home refrigerator.²

^{1.} Typical freezer data based on internal testing with freezer setpoint at -80°C and ambient temperature at 20°C. Performance data varies across freezer size and electrical specifications

All data based on internal data unless otherwise noted. Data on file

^{3.} FDA Class II Models are listed under product code KSE, regulation number 864.9700. This unit is not intended for use in classified hazardous locations, nor to be used for the storage of flammable inventory.

Reference: AABB - Technical Manual 17th Ed., page 273,274. STANDARDS FOR TISSUE BANKING 14th Ed., Section E, E3.300, E3.310, Table E3.331.

Note for clarity: The 'Bone' is the Osteoarticular Graft, a weight bearing allograft with intact articular surfaces, consisting of a joint with associated soft tissue and bone. STANDARDS FOR TISSUE BANKING 14th Ed., Section page 8.

Dependable storage with operational savings and sustainability

User-friendly HIC interface and cabinet

- Easy to use: plug in and go; no setup required
- H-drive Information Center (HIC) combines easy-to-read temperature with simple capacitive touch buttons
- Advanced security features: alarm settings, setpoint security passcode, and padlockcompatible doors
- Egonomic design: single-hand door operation, eye-level display, and shelf-level placement that do not require floor-level loading of racks
- Four inner doors minimize ambient temperature during sample retrieval

Specifications & Ordering Information







White blood Clinical and plasma applications

tions (

Upright Freezers (-50°C to -86°C)

FDA Class II	Сар	acity		Amps / Breaker	Max Shelf	Interior Dimensions	Exterior Dimensions	Shipping
Model	Liters	Cryoboxes 5 cm	Electrical	(Plug type)	Weight kg	H x W x D cm	H x W* x D cm	Weight kg
FDE30086LD	422	300	208-230V/60Hz	5.6/15 (NEMA 6-15)	57	130.1 x 45.2 x 71.9	198.1 x 58.4 x 97.7	323
FDE30086LV	422	300	230V/50Hz	5.9/10 (European)	37	130.1 x 43.2 x 71.9	196.1 x 56.4 x 97.7	323
FDE40086LD	549	400	208-230V/60Hz	5.9/15 (NEMA 6-15)	75	130.1 x 58.8 x 71.9	198.1 x 71.9 x 97.7	312
FDE40086LV	549	400	230V/50Hz	5.3/10 (European)	75	130.1 x 36.6 x 71.9	190.1 X / 1.9 X 9/./	312
FDE50086LD	682	500	208-230V/60Hz	5.0/15 (NEMA 6-15)	93	130.1 x 73.0 x 71.9	198.1 x 86.4 x 97.7**	333
FDE50086LV	002	500	230V/50Hz	5.9/10 (European)	93	130.1 x 73.0 x 71.9	190.1 X 00.4 X 97.7	333
FDE60086LD	816	600	208-230V/60Hz	6.2/15 (NEMA 6-15)	111	130.1 x 87.3 x 71.9	198.1 x 100.6 x 97.7**	372
FDE60086LV	010	000	230V/50Hz	6.1/10 (European)		130.1 x 07.3 x 71.9	X 87.3 X 71.9	

^{*}Allowance for handle and hinge, add 10.7 cm to cabinet width

^{**}Doorway width clearance is 87.6 cm for FDE50086 and FDE60086



Performance Data

Model Series	Energy Consumption* (kW-hr/day)	Peak Variation from -80°C Setpoint (°C)**	60 Second Door Opening Recovery Time (minutes)	Warm-Up Time (-80°C to -50°C) (minutes)***	Noise Level (dBA)
FDE30086	11.2	+5.9/-3.7	14	248	52
FDE40086	12.3	+5.7/-2.9	17	257	51
FDE50086	12.7	+4.2/-2.9	21	260	50
FDE60086	14.2	+3.4/-2.9	24	297	50

 $^{^{\}star}\text{Energy Consumption: Typical data - internal testing with freezer setpoint at -80 ^{\circ}\text{C} \text{ and } 20 ^{\circ}\text{C} \text{ ambient temperature}$

 $^{{}^{\}star\star}\text{Peak Variation from Setpoint: Typical data-internal testing with freezer setpoint at -80°C and 20°C ambient temperature}$

^{***}Warm Up Time: Typical data - internal testing with empty freezer setpoint at -80°C and ambient temperature at 20°C

Options (Field installations must be performed by a qualified professional)

Description	la stallation		For Model Series				
Description	Installation	FDE30086	FDE40086	FDE50086	FDE60086		
IN Post of Colors	Factory	N/A	LN4567	LN4567	LN4567		
LN ₂ Backup System Maintains temperature down to -80°C with liquid nitrogen. Models for FDE30086 are stand alone.	Field	FLN300D* FLN300V** FLN300W***	FLN456LED* FLN456LEV**	FLN456LED* FLN456LEV**	FLN456LED* FLN456LEV**		
CO _a Backup System	Factory	N/A	CO4567	CO4567	CO4567		
Maintains temperature down to -67°C with CO ₂ . Models for FDE30086 are stand alone.	Field	FCO300D* FCO300V** FCO300W***	FCO456LED* FCO456LEV**	FCO456LED* FCO456LEV**	FCO456LED* FCO456LEV**		
Chart Recorder (Inkless) Seven-day inkless recorder	Factory	N/A	N/A	CR4567	CR4567		
Range: -115° to +50°C (+5°C resolution) Dia.: 6" (15.2cm)	Field	N/A	N/A	FCR500LE	FCR600LE		
Chart Recorder (Ink)	Factory	N/A	N/A	CRP4567	CRP4567		
Seven day ink recorder Range: -100° to +38°C (+2°C resolution) Dia.: 6" (15.2cm) Models for FDE30086 and FDE40086 are stand alone.	Field	6383-6D* 6383-6V** 6383-6W***	6383-6D* 6383-6V** 6383-6W***	FCRP500LE	FCRP600LE		
Stainless Steel Freezer Interior	Factory	SS34567	SS34567	SS34567	SS34567		
Twist Lock Plug NEMA L6-15P for 208-230V/60Hz	Factory	US230V15ATL	US230V15ATL	US230V15ATL	US230V15ATL		
I WIST LOCK FING INCIVIA LO-13P 101 200-230V/00H2	Field	TL230V15A	TL230V15A	TL230V15A	TL230V15A		
Twist Look Phys NEMA LC 20D for 200 220V/CCL-	Factory	US230V20ATL	US230V20ATL	US230V20ATL	US230V20ATL		
Twist Lock Plug NEMA L6-20P for 208-230V/60Hz	Field	TL230V20A	TL230V20A	TL230V20A	TL230V20A		

^{*} D = 208-230V/60Hz (NEMA 6-15 plug)

Accessories

		For Model Series					
Description	FDE30086	FDE40086	FDE50086	FDE60086			
Air Filter (Replacement)	AF34567LE	AF34567LE	AF34567LE	AF34567LE			
Alarm Delay Module Eliminates nuisance alarms due to intermittent or transitory conditions. (The alarm conditions must exist for a user-defined period before the signal is broadcast.)	6903	6903	6903	6903			
Battery Backup (Replacement)	400159	400159	400159	400159			
Chart Paper, for Inkless Recorder, 50/Pack	N/A	N/A	6185	6185			
Chart Paper, for Ink Recorder, 50/Pack	17020	17020	17020	17020			
Cryo Gloves, Medium	4425	4425	4425	4425			
Cryo Gloves, Large	4426	4426	4426	4426			
Seismic Restraint Kits	TF-ULT300	TF-ULT400	TF-ULT500	TF-ULT600			
Shelf Kits: Include One Shelf and Clips	SK300	SK400	SK500	SK600			

^{**}V = 230V/50Hz (European plug)

^{***}W = 230V/50Hz (UK plug)

Racks for Boxes and Microplates

Racks for 5 cm Boxes

Catalan Na	December 1	Dimensions	Character Communities	For Model Series			
Catalog No.	Description	H x W x D cm	Storage Capacities	FDE30086	FDE40086	FDE50086	FDE60086
			Boxes/Rack	25	25	25	25
920090	Sliding Drawer Rack	30.2 x 14 x 68.3	Racks/Shelf	3	4	5	6
920090			Racks/Freezer	12	16	20	24
			Boxes/Freezer	300	400	500	600
			Boxes/Rack	25	25	25	25
1050500	Adjustable Side	00 5 40 7 07 0	Racks/Shelf	3	4	5	6
1950520	Access Rack	29.5 x 13.7 x 67.9	Racks/Freezer	12	16	20	24
			Boxes/Freezer	300	400	500	600

Racks for 7.62 cm Boxes

	.	Dimensions H x W x D cm	a. a	For Model Series			
Catalog No.	Description		Storage Capacities	FDE30086	FDE40086	FDE50086	FDE60086
			Boxes/Rack	15	15	15	15
920091	Sliding	30.2 x 14 x 68.3	Racks/Shelf	3	4	5	6
920091	Drawer Rack		Racks/Freezer	12	16	20	24
			Boxes/Freezer	180	240	300	360
			Boxes/Rack	15	15	15	15
1050504	Adjustable Side	00 5 40 7 07 0	Racks/Shelf	3	4	5	6
1950521	Access Rack for 3 in. boxes	29.5 x 13.7 x 67.9	Racks/Freezer	12	16	20	24
			Boxes/Freezer	180	240	300	360

Racking Shelf Kits

	Storage Capacities		For Mod	el Series	
Description	Otorage Capacities	FDE30086	FDE40086	FDE50086	FDE60086
	Catalog No.	RSK300SD4	RSK400SD4	RSK500SD4	RSK600SD4
Sliding Drawer Racks with Boxes for	Racks Included	3	4	5	6
One Shelf (12.7 x 12.7 x 5 cm Boxes with 100-Count Cell Dividers)	Boxes Included	75	100	125	150

Racks for Standard or Deepwell Microplates

October No	Dimensions		Stamana Gamanitian		For Mode	el Series	
Catalog No.	Description	H x W x D cm	Storage Capacities	FDE30086	FDE40086	FDE50086	FDE60086
			Plates/Rack	147	147	147	147
1950592	Side Access	00.0 × 14 × 65.0	Racks/Shelf	3	4	5	6
1950592	Rack with Locking Rod		Racks/Freezer	12	16	20	24
William and the Control States States States States St.			Plates/Freezer	1,764	2,352	2,940	3,528
	Side Access Microplate Rack	30.2 x 14 x 65.3	Plates/Rack	105	105	105	105
1050500			Racks/Shelf	3	4	5	6
1950523			Racks/Freezer	12	16	20	24
			Plates/Freezer	1,260	1,680	2,100	2,520
			Plates/Rack	35	35	35	35
00000000	Sliding Drawer		Racks/Shelf	3	4	5	6
1950642	Microplate Rack	30.2 x 14 x 66.3	Racks/Freezer	12	16	20	24
			Plates/Freezer	420	560	700	840

Boxes and Dividers

Catalog No.	Description	# of Dividers	Quantity	Color
5026-0909	Thermo Scientific™ Nalgene™ polycarbonate 5.08 cm box for 1.2 to 2 mL vials	81	24/Case	White
5954	5.08 cm Fiberboard Box	0	12/Pack	White
820002	5.08 cm Fiberboard Box	81	1	White
820109	5.08 cm Fiberboard Box	100	1	White
5956	7.62 cm Fiberboard Box	0	12/Pack	White
820003	7.62 cm Fiberboard Box	81	1	White
1950878	5.08 cm Fiberboard Box	0	12/Pack	Multiple
1950879	5.08 cm Fiberboard Box	0	12/Pack	Pink
1950880	5.08 cm Fiberboard Box	0	12/Pack	Red
1950881	5.08 cm Fiberboard Box	0	12/Pack	Yellow
1950882	5.08 cm Fiberboard Box	0	12/Pack	Green
1950883	5.08 cm Fiberboard Box	0	12/Pack	Blue
1950884	5.08 cm Fiberboard Box	0	12/Pack	Black

Fiberboard Dividers

Catalog No.	Description	Quantity/Pack
5958	Grid Dividers, Hold 100 x 12 mm Tubes/Vials	12
6212	Grid Dividers, Hold 81 x 13 mm Tubes/Vials	12
5960	Grid Dividers, Hold 64 x 14 mm Tubes/Vials	12
5959	Grid Dividers, Hold 49 x 16 mm Tubes/Vials	12

Vials and Tubes

Catalog No.	Description	Quantity
377267	Thermo Scientific™ Nunc™ 1.8 mL Screw-Top Round-Bottom Vials with Internal Threading	1,800/Case

Sliding Drawer Racks for Matrix and Cryobank Tubes

Racks work with all Thermo Scientific™ Matrix™ and Nunc™ Cryobank Tubes

		For Model Series	FDE30086	FDE40086	FDE50086	FDE60086
200 μL Ca	pacity Tubes					
		Rack Model No.	1950787	1950787	1950787	1950787
	Matrix 200 µL 2D	Freezer Rack Dimensions W x H x D	14 x 30.3 x 68.5 cm			
3747, 3748,	Internally Threaded Universal Tubes	Tubes/Box	96	96	96	96
4988	Box Dimensions:	Boxes/Rack	56	56	56	56
	8.5 x 12.8 x 2.75 cm	Racks/Shelf	3	4	5	6
		Racks/Freezer	12	16	20	24
		Tubes/Freezer	64,512	86,016	107,520	129,024
500 μL Ca _l	pacity Tubes					
	Motrix 500 ul 2D	Rack Model No.	1950787	1950787	1950787	1950787
3734, 3735, 4898	Matrix 500 µL 2D Open Top Tubes Box Dimensions: 8.5 x 12.8 x 2.6 cm	Freezer Rack Dimensions W x H x D	14 x 30.3 x 68.5 cm			
	Matrix 200 µL 2D Internally Threaded Universal Tubes with Installed DuraSeal™ Seal Box Dimensions: 8.5 x 12.8 x 2.75 cm	Tubes/Box	96	96	96	96
3736.		Boxes/Rack	56	56	56	56
3736, 3737, 4899		Racks/Shelf	3	4	5	6
4899		Racks/Freezer	12	16	20	24
		Tubes/Freezer	64,512	86,016	107,520	129,024
		Rack Model No.	1950791	1950791	1950791	1950791
374086, 374087 (including color options)	Nunc Cryobank 500 µL Internally Threaded Tubes Box Dimensions: 8.5 x 12.8 x 3.5 cm	Freezer Rack Dimensions W x H x D	14 x 30.3 x 68.5 cm			
		Tubes/Box	96	96	96	96
3743, 3744,	Matrix 500 μL 2D Internally Threaded	Boxes/Rack	42	42	42	42
3745 (including	ScrewTop Tubes	Racks/Shelf	3	4	5	6
color options)	Box Dimensions: 8.5 x 12.8 x 4.4 cm	Racks/Freezer	12	16	20	24
/		Tubes/Freezer	48,384	64,512	80,640	96,768

Sliding Drawer Racks for Matrix and Cryobank Tubes Racks work with all Thermo Scientific™ Matrix™ and Nunc™ Cryobank Tubes

		For Model Series	FDE30086	FDE40086	FDE50086	FDE60086				
750 μL Capacity Tubes										
3731, 3732, 4896	Matrix 750 µL 2D Open Top Tubes Box Dimensions: 8.5 x 12.8 x 3.9 cm	Rack Model No.	1950791	1950791	1950791	1950791				
		Freezer Rack Dimensions W x H x D	14 x 30.3 x 68.5 cm							
3729, 4896	Matrix 750µL 2D Tubes with Installed DuraSeal Seal Box Dimensions: 8.5 x 12.8 x 3.9 cm	Tubes/Box	96	96	96	96				
		Boxes/Rack	42	42	42	42				
		Racks/Shelf	3	4	5	6				
		Racks/Freezer	12	16	20	24				
		Tubes/Freezer	48,384	64,512	80,640	96,768				
1 mL Capa	acity Tubes									
	Nunc Cryobank 1 mL Internally Threaded Tubes Box Dimensions: 8.5 x 12.8 x 4.9 cm	Rack Model No.	1950642	1950642	1950642	1950642				
374088,		Freezer Rack Dimensions W x H x D	14 x 30.3 x 68.5 cm							
374089 (including		Tubes/Box	96	96	96	96				
color		Boxes/Rack	35	35	35	35				
options)		Racks/Shelf	3	4	5	6				
		Racks/Freezer	12	16	20	24				
		Tubes/Freezer	40,320	53,760	67,200	80,640				
3740, 3741, 3742 (including color options)	Matrix 1 mL 2D Internally Threaded Screw Top Tubes Box Dimensions: 8.5 x 12.8 x 5.8 cm	Rack Model No.	1950799	1950799	1950799	1950799				
		Freezer Rack Dimensions W x H x D	14 x 30.3 x 68.5 cm							
		Tubes/Box	96	96	96	96				
		Boxes/Rack	28	28	28	28				
		Racks/Shelf	3	4	5	6				
		Racks/Freezer	12	16	20	24				
		Tubes/Freezer	32,256	43,008	53,760	64,512				

thermo scientific

Sliding Drawer Racks for Matrix and Cryobank Tubes

Racks work with all Thermo Scientific™ Matrix™ and Nunc™ Cryobank Tubes

		For Model Series	FDE30086	FDE40086	FDE50086	FDE60086			
1.4 mL Capacity Tubes									
		Rack Model No.	1950642	1950642	1950642	1950642			
3791, 3792, 4890	Matrix 1.4 mL 2D Open Top Tubes Box Dimensions: 8.5 x 12.8 x 4.9 cm	Freezer Rack Dimensions W x H x D	14 x 30.3 x 68.5 cm						
3801, 4890	1.4 mL 2D Tubes with Installed DuraSeal Seal Box Dimensions: 8.5 x 12.8 x 4.9 cm	Tubes/Box	96	96	96	96			
		Boxes/Rack	35	35	35	35			
3711, 3112, 4890	Matrix 1.4 mL Human Readable Open Top Tubes Box Dimensions: 8.5 x 12.8 x 4.9 cm	Racks/Shelf	3	4	5	6			
		Racks/Freezer	12	16	20	24			
		Tubes/Freezer	40,320	53,760	67,200	80,640			
1.8 to 2 mL	Capacity Tubes								
	Nunc 1.8 mL Externally Threaded Universal Tubes Box Dimensions: 8.5 x 12.8 x 5.5 cm	Rack Model No.	1950642	1950642	1950642	1950642			
374500, 374501		Freezer Rack Dimensions W x H x D	14 x 30.3 x 68.5 cm						
374221, 374223	Nunc Cryobank 2 mL Internally Threaded Tubes Box Dimension: 8.5 x 12.8 x 5.5 cm	Tubes/Box	48	48	48	48			
		Boxes/Rack	35	35	35	35			
		Racks/Shelf	3	4	5	6			
0220		Racks/Freezer	12	16	20	24			
		Tubes/Freezer	20,160	26,880	33,600	40,320			
5 mL Capacity Tubes									
374220, 374222	Nunc Cryobank 5 mL Internally Threaded Tubes Box Dimensions: 8.5 x 12.8 x 9.6 cm	Rack Model No.	1950819	1950819	1950819	1950819			
		Freezer Rack Dimensions W x H x D	14 x 30.3 x 68.5 cm						
		Tubes/Box	48	48	48	48			
		Boxes/Rack	21	21	21	21			
		Racks/Shelf	3	4	5	6			
		Racks/Freezer	12	16	20	24			
		Tubes/Freezer	12,096	16,128	20,160	24,192			

