thermo scientific



Thermo Scientific TDE Series Ultra-Low Temperature Freezers

Medical Device



Thermo Scientific[™] TDE Series **Ultra-Low Temperature Freezers**

- H-drive hydrocarbon refrigeration system provides sustainable performance with reliability you can count on
- Low peak variation helps ensure sample temperature protection throughout entire cabinet
- Fast door opening recovery in as little as 11 minutes
- Long warm-up time from -80°C to -50°C in up to 5 hours
- Four capacities: 300, 400, 500 and 600 2-inch boxes
- Decrease storage footprint up to 25%
- 5-year standard warranty



Designed to keep your samples safe

- Worry-free storage; with low peak variation, samples are protected throughout the entire cabinet.1
- Secure freezer settings with sample security
- FDA Class II Medical Device for Storage of Blood, Plasma, Tissue, Skin, and Bone³
- Backed by our Global Service and Support Team

Limit environmental impact and lower HVAC costs

- Uses as low as 10.7 kWh/day, depending on size
- Less heat emission lowers HVAC costs
- SNAP compliant, natural hydrocarbon refrigerants
- · Environmentally-friendly, waterblown foam insulation is compliant with SNAP
- Manufactured in an award-winning, zero-waste-to-landfill facility

User-friendly and quiet

- New HIC touch screen user interface
- Quiet enough to reside directly in the laboratory; at just 50 dBA, the sound is comparable to a home refrigerator.²

2 All data based on internal data unless otherwise noted. Data on file

^{1.} Typical freezer data based on internal testing with freezer setpoint at -80°C and ambient temperature at 20°C. Performance data varies across freezer size and electrical specifications

FDA Class II Models are listed under product code KSE, regulation number 864.9700. This unit is not intended for use in classified hazardous locations, nor to be used for the storage of flammable inventory. Reference: AABB - Technical Manual 17th Ed., page 273,274. STANDARDS FOR TISSUE BANKING 14th Ed., Section E, E3.300, E3.310, Table E3.331.

Note for clarity: The 'Bone' is the Osteoarticular Graft, a weight bearing allograft with intact articular surfaces, consisting of a joint with associated soft tissue and bone. STANDARDS FOR TISSUE BANKING 14th Ed., Section page 8.

Dependable storage with operational savings and sustainability

User-friendly HIC interface and cabinet

- Easy to use: plug in and go; no setup required
- H-drive Information Center (HIC) combines easy-to-read temperature with simple capacitive touch buttons
- Advanced security features: alarm settings, setpoint security passcode, and padlockcompatible doors
- Egonomic design: single-hand door operation, eye-level display, and shelf-level placement that do not require floor-level loading of racks
- Four inner doors minimize ambient temperature during sample retrieval

Specifications & Ordering Information



White blood Clinical Get and plasma applications Connected



Upright Freezers (-50°C to -86°C)

General	Сар	acity		Ampo / Proskor	os / Breaker Max Shelf Interior Dimensions		Exterior Dimensions	Shipping
Purpose Model	cu. ft. (L)	Cryoboxes (2 in.)	Electrical	(Plug type)	Weight Ibs. (kg)	H x W x D in. (cm)	H x W* x D in. (cm)	Weight Ibs. (kg)
TDE30086LA	14.9	300	115 V/60Hz	12.6/20 (NEMA 5-20)	125	51.2 x 17.8 x 28.3	78.0 x 23.0 x 38.5	712
TDE30086LD	(422)	300	208-230V/60Hz	5.6/15 (NEMA 6-15)	(57)	(130.1 x 45.2 x 71.9)	(198.1 x 58.4 x 97.7)	(323)
TDE40086LA	19.4	400	115V/60Hz	13.0/20 (NEMA 5-20)	165	51.2 x 23.1 x 28.3	78.0 x 28.3 x 38.5	687
TDE40086LD	(549)	400	208-230V/60Hz	5.9/15 (NEMA 6-15)	(75)	(130.1 x 58.8 x 71.9)	(198.1 x 71.9 x 97.7)	(312)
TDE50086LA	24.1	500	115V/60Hz	12.5/20 (NEMA 5-20)	205	51.2 x 28.8 x 28.3	78.0 x 34.0 x 38.5**	734
TDE50086LD	(682)	500	208-230V/60Hz	5.0/15 (NEMA 6-15)	(93)	(130.1 x 73.0 x 71.9)	(198.1 x 86.4 x 97.7)	(333)
TDE60086LA	28.8	600	115V/60Hz	12.7/20 (NEMA 5-20)	245	51.2 x 34.4 x 28.3	78.0 x 39.6 x 38.5**	820
TDE60086LD	(816)	600	208-230V/60Hz	6.2/15 (NEMA 6-15)	(111)	(130.1 x 87.3 x 71.9)	(198.1 x 100.6 x 97.7)	(372)

*Allowance for handle and hinge, add 4.2 in (10.7cm) to cabinet width

**Doorway width clearance is 34.5 in (87.6cm) for TDE50086 and TDE60086



Performance Data

Model Series	Energy Consumption* (kW-hr/day)	Peak Variation from -80°C Setpoint (°C)**	60 Second Door Opening Recovery Time (minutes)	Warm-Up Time (-80°C to -50°C) (minutes)***	Noise Level (dBA)
TDE30086	10.7	+6.9/-3.4	11	248	52
TDE40086	12.5	+5.2/-3.7	16	257	51
TDE50086	12.9	+4.0/-2.9	20	260	50
TDE60086	13.8	+3.9/-3.1	24	297	50

*Energy Consumption: Typical data - internal testing with freezer setpoint at -80°C and 20°C ambient temperature **Peak Variation from Setpoint: Typical data - internal testing with freezer setpoint at -80°C and 20°C ambient temperature ***Warm Up Time: Typical data - internal testing with empty freezer setpoint at -80°C and ambient temperature at 20°C

Options (Field installations must be performed by a qualified professional)

			For Mod	lel Series	
Description	Installation	TDE30086	TDE40086	TDE50086	TDE60086
LN, Backup System	Factory	N/A	LN4567	LN4567	LN4567
Maintains temperature down to -80°C with liquid nitrogen. Models for TDE30086 are stand alone.	Field	FLN300A* FLN300D**	FLN456LEA* FLN456LED**	FLN456LEA* FLN456LED**	FLN456LEA* FLN456LED**
CO ₂ Backup System	Factory	N/A	CO4567	CO4567	CO4567
Maintains temperature down to -67°C with CO ₂ . <i>Models for TDE30086 are stand alone.</i>	Field	FCO300A* FCO300D**	FCO456LEA* FCO456LED**	FCO456LEA* FCO456LED**	FCO456LEA* FCO456LED**
Chart Recorder (Inkless) Seven-day inkless recorder	Factory	N/A	N/A	CR4567	CR4567
Range: -115° to +50°C (+5°C resolution) Dia.: 6 in. (15.2cm)	Field	N/A	N/A	FCR500LE	FCR600LE
Chart Recorder (Ink) Seven-day ink recorder	Factory	N/A	N/A	CRP4567	CRP4567
Range: -100° to +38°C (+2°C resolution) Dia.: 6 in. (15.2cm) Models for TDE30086 and TDE40086 are stand alone.	Field	6383-6A* 6383-6D**	6383-6A* 6383-6D**	FCRP500LE	FCRP600LE
Stainless Steel Freezer Interior	Factory	SS34567	SS34567	SS34567	SS34567
Water-Cooled Condenser Option	Factory	N/A	N/A	N/A	WC34567***
Twist Lock Plug NEMA L5-20P for 115V/60Hz	Factory	US125V20ATL	US125V20ATL	US125V20ATL	US125V20ATL
TWIST LOCK FILING NEIVIA L3-20F 101 1130/00H2	Field	TL125V20A	TL125V20A	TL125V20A	TL125V20A
Twist Lock Plug NEMA L6-15P for 208-230V/60Hz	Factory	US230V15ATL	US230V15ATL	US230V15ATL	US230V15ATL
TWIST LOCK FING INLINE LOFISFIOL 200-2007/0002	Field	Field TL230V15A TL230V15A TL230V15A	TL230V15A	TL230V15A	
Twist Lock Plug NEMA L6-20P for 208-230V/60Hz	Factory	US230V20ATL	US230V20ATL	US230V20ATL	US230V20ATL
	FieldFLN300A* FLN300D**FLN456LEA* FLN456LED**FLN456LEA* FLN456LED**FactoryN/ACO4567CO4567FieldFCO300A* FCO300D**FCO456LEA* FCO456LED**FCO456LEA* FCO456LED**FactoryN/AN/ACR4567FieldN/AN/ACR4567FieldN/AN/ACR4567FieldN/AN/AFCR500LEFactoryN/AN/AFCR500LEFactoryN/AN/AFCR500LEFactoryN/AN/ACR4567Field6383-6A* 6383-6A*6383-6A* 6383-6D**FCRP500LEFactorySS34567SS34567SS34567FactoryN/AN/AN/AFactoryN/AN/AN/AFactoryUS125V20ATLUS125V20ATLUS125V20ATLFieldTL125V20ATL125V20ATL125V20AFieldTL230V15ATLUS230V15ATLUS230V15ATLFieldTL230V15ATL230V15ATL230V15A	TL230V20A			

*A = 115V/60Hz (NEMA 5-20 plug) **D = 208-230V/60Hz (NEMA 6-15 plug) *** WC34567 available on 208-230V/60Hz model only

Accessories

		For Mod	lel Series	
Description	TDE30086	TDE40086	TDE50086	TDE60086
Air Filter (Replacement)	AF34567LE	AF34567LE	AF34567LE	AF34567LE
Alarm Delay Module Eliminates nuisance alarms due to intermittent or transitory conditions. (The alarm conditions must exist for a user-defined period before the signal is broadcast.)	6903	6903	6903	6903
Battery Backup (Replacement)	400159	400159	400159	400159
Chart Paper, for Inkless Recorder, 50/Pack	N/A	N/A	6185	6185
Chart Paper, for Ink Recorder, 50/Pack	17020	17020	17020	17020
Cryo Gloves, Medium	4425	4425	4425	4425
Cryo Gloves, Large	4426	4426	4426	4426
Seismic Restraint Kits	TF-ULT300	TF-ULT400	TF-ULT500	TF-ULT600
Shelf Kits: Include One Shelf and Clips	SK300	SK400	SK500	SK600

Freezer Packages with Factory-Installed Options

Thermo Scientific TDE Ultra-Low Freezer with Two Shelves of Sliding Drawer Racks Plus Boxes

Model	Capacity		Electrical,	# of	Owiekowest Included		
Model	cu. ft. (L)	Cryoboxes*	60Hz	Racks Included	Cryoboxes* Included		
TDE30086LARK	14.9 (422)	300	115V	6	150		
TDE30086LDRK	14.9 (422)	300	208-230V	6	150		
TDE40086LARK	19.4 (549)	400	115V	8	200		
TDE40086LDRK	19.4 (549)	400	208-230V	8	200		
TDE50086LARK	24.1 (682)	500	115V	10	250		
TDE50086LDRK	24.1 (682)	500	208-230V	10	250		
TDE60086LARK	28.8 (816)	600	115V	12	300		
TDE60086LDRK	28.8 (816)	600	208-230V	12	300		

*For cryoboxes that measure 5 x 5 x 2 in (12.7 x 12.7 x 5 cm) (W x D x H)

Thermo Scientific TDE Ultra-Low Freezer with LN₂ Backup System, Two Shelves of Sliding Drawer Racks Plus Boxes

Madal	Capacity		Electrical,	# of	Ower have at the stude of	
Model	cu. ft. (L)	Cryoboxes*	60Hz	Racks Included	Cryoboxes* Included	
TDE40086LARLN	19.4 (549)	400	115V	8	200	
TDE40086LDRLN	19.4 (549)	400	208-230V	8	200	
TDE50086LARLN	24.1 (682)	500	115V	10	250	
TDE50086LDRLN	24.1 (682)	500	208-230V	10	250	
TDE60086LARLN	28.8 (816)	600	115V	12	300	
TDE60086LDRLN	28.8 (816)	600	208-230V	12	300	

*For cryoboxes that measure 5 x 5 x 2 in (12.7 x 12.7 x 5 cm) (W x D x H)

Thermo Scientific TDE Ultra-Low Freezer with CO₂ Backup System, Two Shelves of Sliding Drawer Racks Plus Boxes

	Capacity		Electrical.	# of	Orrech ausset beschude d	
Model	cu. ft. (L)	Cryoboxes*	60Hz	Racks Included	Cryoboxes* Included	
TDE40086LARCO	19.4 (549)	400	115V	8	200	
TDE40086LDRCO	19.4 (549)	400	208-230V	8	200	
TDE50086LARCO	24.1 (682)	500	115V	10	250	
TDE50086LDRCO	24.1 (682)	500	208-230V	10	250	
TDE60086LARCO	28.8 (816)	600	115V	12	300	
TDE60086LDRCO	28.8 (816)	600	208-230V	12	300	

*For cryoboxes that measure $5 \times 5 \times 2$ in (12.7 \times 12.7 \times 5 cm) (W \times D \times H)



Freezer Packages with Factory-Installed Options

Thermo Scientific TDE Ultra-Low Freezer with Chart Recorder, Two Shelves of Sliding Drawer Racks Plus Boxes

	Capacity		Electrical.	# of	
Model	cu. ft. (L)	Cryoboxes*	60Hz	Racks Included	Cryoboxes* Included
TDE50086LARCR	24.1 (682)	500	115V	10	250
TDE50086LDRCR	24.1 (682)	500	208-230V	10	250
TDE60086LARCR	28.8 (816)	600	115V	12	300
TDE60086LDRCR	28.8 (816)	600	208-230V	12	300

*For cryoboxes that measure $5 \times 5 \times 2$ in. (W x D x H)

Racks for Boxes and Microplates

Racks for 2 in. (5 cm) Boxes

Ostalas Na	Description	Dimensions		For Model Series				
Catalog No.	Description	H x W x D in. (cm)	Storage Capacities	TDE30086	TDE40086	TDE50086	TDE60086	
			Boxes/Rack	25	25	25	25	
920090	Sliding Drawer Rack	11.9 x 5.5 x 26.9 (30.2 x 14 x 68.3)	Racks/Shelf	3	4	5	6	
920090			Racks/Freezer	12	16	20	24	
			Boxes/Freezer	300	400	500	600	
			Boxes/Rack	25	25	25	25	
	Adjustable Side	11.6 x 5.4 x 26.75	Racks/Shelf	3	4	5	6	
1950520	Access Rack	(29.5 x 13.7 x 67.9)	Racks/Freezer	12	16	20	24	
			Boxes/Freezer	300	400	500	600	

Racks for 3 in. (7.62 cm) Boxes

Catalog No	Description	Dimensions		For Model Series			
Catalog No.	Description	H x W x D in. (cm)	Storage Capacities	TDE30086	TDE40086	TDE50086	TDE60086
		11.9 x 5.5 x 26.9 (30.2 x 14 x 68.3)	Boxes/Rack	15	15	15	15
	Sliding Drawer Rack		Racks/Shelf	3	4	5	6
920091			Racks/Freezer	12	16	20	24
			Boxes/Freezer	180	240	300	360
			Boxes/Rack	15	15	15	15
1050501	Adjustable Side	11.6 x 5.4 x 26.75	Racks/Shelf	3	4	5	6
1950521	Access Rack for 3 in. boxes	Cription H x W x D in. (cm) Storage Ca iding 11.9 x 5.5 x 26.9 Boxes/F er Rack (30.2 x 14 x 68.3) Racks/F able Side 11.6 x 5.4 x 26.75 Boxes/F n. boxes (29.5 x 13.7 x 67.9) Racks/F	Racks/Freezer	12	16	20	24
			Boxes/Freezer	180	240	300	360

Racking Shelf Kits

	Storage Capacities	For Model Series					
Description	otorage oupdotties	TDE30086	TDE40086	TDE50086	TDE60086		
	Catalog No.	RSK300SD4	RSK400SD4	RSK500SD4	RSK600SD4		
Sliding Drawer Racks with Boxes for One Shelf (5 x 5 x 2 in. Boxes with	Racks Included	3	4	5	6		
100-Count Cell Dividers)	Boxes Included	75	100	125	150		

Racks for Standard or Deepwell Microplates

Catalog No.		Description	Dimensions	Storage Canacities	For Model Series			
Catalog No.		Description	H x W x D in. (cm)	Storage Capacities	TDE30086TDE40086Plates/Rack147147Racks/Shelf34Racks/Freezer1216Plates/Freezer1,7642,352Plates/Freezer1,7642,352Plates/Rack105105Racks/Shelf34Racks/Shelf34Plates/Freezer1,2601,680Plates/Freezer1,26035Racks/Shelf34Racks/Shelf34Racks/Shelf34Racks/Shelf34Racks/Freezer1216	TDE50086	TDE60086	
1950592				Plates/Rack	147	147	147	147
	050500	Side Access	11.9 x 5.5 x 25.7	Racks/Shelf	3	4	5	6
	1950592	Rack with Locking Rod	(30.2 x 14 x 65.3)	Racks/Freezer	12	16	20	24
		2001.1.191100		Plates/Freezer	1,764	2,352	20 2,940 105 5	3,528
		Side Access		Plates/Rack	105	105	105	105
			11.9 x 5.5 x 25.7	Racks/Shelf	3	4	5	6
	1950523	Microplate Rack	(30.2 x 14 x 65.3)	Racks/Freezer	12	16	20	24
a a a				Plates/Freezer	1,260	1,680	TDE50086 147 5 20 2,940 105 5	2,520
				Plates/Rack	35	35	35	35
	1950642	Sliding Drawer	11.9 x 5.5 x 26.9	Racks/Shelf	3 4	4	5	6
		Microplate Rack	(30.2 x 14 x 68.3)	Racks/Freezer 12 16	16	20	24	
				Plates/Freezer	420	560	700	840

Boxes and Dividers

Catalog No.	Description	# of Dividers	Quantity	Color
5026-0909	Thermo Scientific [™] Nalgene [™] polycarbonate 2 in. (5.08cm) box for 1.2 to 2mL vials	81	24/Case	White
5954	2 in. (5.08 cm) Fiberboard Box	0	12/Pack	White
820002	2 in. (5.08 cm) Fiberboard Box	81	1	White
820109	2 in. (5.08 cm) Fiberboard Box	100	1	White
5956	3 in. (7.62 cm) Fiberboard Box	0	12/Pack	White
820003	3 in. (7.62 cm) Fiberboard Box	81	1	White
1950878	2 in. (5.08 cm) Fiberboard Box	0	12/Pack	Multiple
1950879	2 in. (5.08 cm) Fiberboard Box	0	12/Pack	Pink
1950880	2 in. (5.08 cm) Fiberboard Box	0	12/Pack	Red
1950881	2 in. (5.08 cm) Fiberboard Box	0	12/Pack	Yellow
1950882	2 in. (5.08 cm) Fiberboard Box	0	12/Pack	Green
1950883	2 in. (5.08 cm) Fiberboard Box	0	12/Pack	Blue
1950884	2 in. (5.08 cm) Fiberboard Box	0	12/Pack	Black

Fiberboard Dividers

Catalog No.	Description	Quantity/Pack
5958	Grid Dividers, Hold 100 x 12 mm Tubes/Vials	12
6212	Grid Dividers, Hold 81 x 13 mm Tubes/Vials	12
5960	Grid Dividers, Hold 64 x 14 mm Tubes/Vials	12
5959	Grid Dividers, Hold 49 x 16 mm Tubes/Vials	12

Vials and Tubes

Catalog No.	Description	Quantity
377267	Thermo Scientific [™] Nunc [™] 1.8mL Screw-Top Round-Bottom Vials with Internal Threading	1,800/Case

Sliding Drawer Racks for Matrix and Cryobank Tubes Racks work with all Thermo Scientific[®] Matrix[®] and Nunc[®] Cryobank Tubes

		For Model Series	TDE30086	TDE40086	TDE50086	TDE60086
200 µL Ca	pacity Tubes					
		Rack Model No.	1950787	1950787	1950787	1950787
	Matrix 200 µL 2D Internally Threaded	Freezer Rack Dimensions W x H x D	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)
3747, 3748.	Universal Tubes	Tubes/Box	96	96	96	96
4988	Box Dimensions: 3.365 x 5.03 x 1.082 in.	Boxes/Rack	56	56	56	56
	(8.5 x 12.8 x 2.75 cm)	Racks/Shelf	3	4	5	6
		Racks/Freezer	12	16	20	24
		Tubes/Freezer	64,512	86,016	107,520	129,024
500 μL Ca	pacity Tubes					
	Matrix 500 µL 2D	Rack Model No.	1950787	1950787	1950787	1950787
3734, 3735, 4898	Open Top Tubes Box Dimensions: 3.365 x 5.03 x 1.022 in. (8.5 x 12.8 x 2.6 cm)	Freezer Rack Dimensions W x H x D	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)
	Matrix 200 µL 2D	Tubes/Box	96	96	96	96
0700	Internally Threaded Universal Tubes with Installed DuraSeal [™] Seal Box Dimensions: 3.365 x 5.03 x 1.082 in. (8.5 x 12.8 x 2.75 cm)	Boxes/Rack	56	56	56	56
3736, 3737,		Racks/Shelf	3	4	5	6
4899		Racks/Freezer	12	16	20	24
		Tubes/Freezer	64,512	86,016	107,520	129,024
	Nunc Cryobank 500 µL Internally Threaded Tubes Box Dimensions: 3.365 x 5.03 x 1.394 in. (8.5 x 12.8 x 3.5 cm)	Rack Model No.	1950791	1950791	1950791	1950791
374086, 374087 (including color options)		Freezer Rack Dimensions W x H x D	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)
	Matrix 500 µL 2D Internally Threaded ScrewTop Tubes Box Dimensions: 3.365 x 5.03 x 1.745 in. (8.5 x 12.8 x 4.4 cm)	Tubes/Box	96	96	96	96
3743, 3744,		Boxes/Rack	42	42	42	42
3745 (including		Racks/Shelf	3	4	5	6
color options)		Racks/Freezer	12	16	20	24
1 -7		Tubes/Freezer	48,384	64,512	80,640	96,768

Sliding Drawer Racks for Matrix and Cryobank Tubes Racks work with all Thermo Scientific[®] Matrix[®] and Nunc[®] Cryobank Tubes

		For Model Series	TDE30086	TDE40086	TDE50086	TDE60086
750 μL Ca	pacity Tubes					
		Rack Model No.	1950791	1950791	1950791	1950791
3731, 3732, 4896	Matrix 750 µL 2D Open Top Tubes Box Dimensions: 3.365 x 5.03 x 1.55 in. (8.5 x 12.8 x 3.9 cm)	Freezer Rack Dimensions W x H x D	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)
		Tubes/Box	96	96	96	96
	Matrix 750 µL 2D Tubes with Installed	Boxes/Rack	42	42	42	42
3729, 4896	DuraSeal Seal Box Dimensions:	Racks/Shelf	3	4	5	6
	3.365 x 5.03 x 1.55 in. (8.5 x 12.8 x 3.9 cm)	Racks/Freezer	12	16	20	24
		Tubes/Freezer	48,384	64,512	80,640	96,768
1 mL Cap	acity Tubes					
		Rack Model No.	1950642	1950642	1950642	1950642
374088,	Nunc Cryobank 1 mL Internally	Freezer Rack Dimensions W x H x D	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)
374089 (including	Threaded Tubes	Tubes/Box	96	96	96	96
color	Box Dimensions: 3.365 x 5.03 x 1.92 in. (8.5 x 12.8 x 4.9 cm)	Boxes/Rack	35	35	35	35
options)		Racks/Shelf	3	4	5	6
		Racks/Freezer	12	16	20	24
		Tubes/Freezer	40,320	53,760	67,200	80,640
		Rack Model No.	1950799	1950799	1950799	1950799
3740, 3741, 3742	Matrix 1 mL 2D Internally Threaded Screw Top Tubes Box Dimensions: 3.365 x 5.03 x 2.3 in. (8.5 x 12.8 x 5.8 cm)	Freezer Rack Dimensions W x H x D	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)
		Tubes/Box	96	96	96	96
(including color		Boxes/Rack	28	28	28	28
options)		Racks/Shelf	3	4	5	6
		Racks/Freezer	12	16	20	24
		Tubes/Freezer	32,256	43,008	53,760	64,512

thermo scientific

Sliding Drawer Racks for Matrix and Cryobank Tubes

Racks work with all Thermo Scientific[™] Matrix[™] and Nunc[™] Cryobank Tubes

		For Model Series	TDE30086	TDE40086	TDE50086	TDE60086
1.4 mL Ca	pacity Tubes					
Matrix 1.4 r	Matrix 1.4 mL 2D	Rack Model No.	1950642	1950642	1950642	1950642
3791, 3792, 4890	Open Top Tubes Box Dimensions: 3.365 x 5.03 x 1.92 in. (8.5 x 12.8 x 4.9 cm)	Freezer Rack Dimensions W x H x D	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)
3801,	Matrix 1.4 mL 2D Tubes with Installed DuraSeal Seal	Tubes/Box	96	96	96	96
4890	Box Dimensions: 3.365 x 5.03 x 1.92 in. (8.5 x 12.8 x 4.9 cm)	Boxes/Rack	35	35	35	35
	Matrix 1.4 mL Human Readable	Racks/Shelf	3	4	5	6
3711, 3112, 4890	Open Top Tubes Box Dimensions:	Racks/Freezer	12	16	20	24
	3.365 x 5.03 x 1.92 in. (8.5 x 12.8 x 4.9 cm)	Tubes/Freezer	40,320	53,760	67,200	80,640
1.8 to 2 ml	L Capacity Tubes					
	Nunc 1.8 mL	Rack Model No.	1950642	1950642	1950642	1950642
Externally Threade 374500, Universal Tubes 374501 Box Dimensions 3.365 x 5.03 x 2.15	Externally Threaded Universal Tubes Box Dimensions: 3.365 x 5.03 x 2.15 in. (8.5 x 12.8 x 5.5 cm)	Freezer Rack Dimensions W x H x D	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)
	Nunc Cryobank 2 mL Internally Threaded Tubes Box Dimension: 3.365 x 5.03 x 2.15 in. (8.5 x 12.8 x 5.5 cm)	Tubes/Box	48	48	48	48
		Boxes/Rack	35	35	35	35
374221, 374223		Racks/Shelf	3	4	5	6
		Racks/Freezer	12	16	20	24
		Tubes/Freezer	20,160	26,880	33,600	40,320
5 mL Cap	acity Tubes					
		Rack Model No.	1950819	1950819	1950819	1950819
374220,	Nunc Cryobank 5 mL Internally Threaded Tubes Box Dimensions: 3.365 x 5.03 x 3.78 in. (8.5 x 12.8 x 9.6 cm)	Freezer Rack Dimensions W x H x D	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)	5.5 x 11.9 x 26.96 in. (14 x 30.3 x 68.5 cm)
		Tubes/Box	48	48	48	48
374222		Boxes/Rack	21	21	21	21
		Racks/Shelf	3	4	5	6
		Racks/Freezer	12	16	20	24
					1	1

Find out more at thermofisher.com/cold



© 2019-2020 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. BRCSTDEFDA-NA 0520